

GENERAL NOTES

- 1. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH ORDINANCES AND THE CITY OF MARION SUPPLEMENTAL SPECIFICATIONS FOR FINISH REQUIREMENTS, LATEST EDITION, UNLESS OTHERWISE NOTED ON THE DRAWINGS.
2. THE LOCATION OF UTILITY MARKS, UNDERGROUNDS AND SERVICES CORRESPONDING TO THIS DRAWING ARE APPROXIMATE AND ARE NOT GUARANTEED BY THE ENGINEER. THERE MAY BE OTHER UTILITIES, PIPES, STRUCTURES AND SERVICES LOCATED NOT SHOWN ON THIS SHEET OR ON OTHER SHEETS.
3. NOTIFY UTILITY OWNERS WHOSE FACILITIES ARE SHOWN ON THE PLANS OR KNOWN TO BE WITHIN CONSTRUCTION LIMITS OF THE PROJECT PRIOR TO EACH STAGE OF CONSTRUCTION.
4. PRIOR TO CONSTRUCTING THE CONSTRUCTION SHALL UNDERSTAND EXISTING UTILITIES AS CRITICAL LOCATIONS TO VERIFY TRACK DIMENSIONS AND VERTICAL LOCATION.
5. WORK DONE AND UNDEVELOPED FACILITIES INFORMATION, RECORDS, VISION, NOTES TO DRAWING SHALL BE MADE THAT BE THE OWNER OF RECORD FOR THE PROJECT. EXISTING MEASUREMENTS AND VISIONS.
6. NO WORK SHALL BE PERFORMED WITHIN THE PROJECT'S LIMITS WITHOUT PRIOR AUTHORIZATION FROM THE OWNER'S REPRESENTATIVE.
7. PROVIDE TRAFFIC AND PERSONNEL FACILITIES INCLUDING SIGNS, BARRIERS, FLAGGERS, ETC. IN COMPLIANCE WITH THAT BE THE OWNER OF RECORD FOR THE PROJECT. EXISTING MEASUREMENTS AND VISIONS.
8. MAINTAIN ALL EXISTING UTILITIES, PIPES, STRUCTURES, ETC. TO REMAIN UNLESS OTHERWISE NOTED ON THE DRAWINGS.
9. ALL DIMENSIONS SHALL BE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
10. ALL DIMENSIONS SHALL BE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
11. ALL DIMENSIONS SHALL BE TO THE CENTERLINE UNLESS OTHERWISE NOTED.

SITE PREPARATION NOTES

- 1. PROJECT WORKER SAFETY AND PROTECTION.
2. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
3. PROVIDE WASTE AREA OR DISPOSAL SITES FOR EXCESS MATERIAL, EXHAUSTED MATERIAL OR BRAKEN CONCRETE WHICH IS NOT TO BE REUSED OR RECYCLED. NO MATERIAL SHALL BE PLACED WITHIN THE PROJECT'S LIMITS UNLESS SPECIFICALLY APPROVED BY THE ENGINEER. POSITIVE SITES MUST BE APPROVED BY THE ENGINEER. CONTRACTOR SHALL MAINTAIN ACCESS TO THE CONSTRUCTION AREA AND TEMPORARILY MARKED TO PREVENT THE ENCROACHMENT OF SITE. POSITIVE DRAINAGE SHALL BE IN ACCORDANCE WITH THE APPLICABLE STATE AND FEDERAL REGULATIONS.
4. KEEP ADJACENT PUBLIC STREETS CLEAR FROM SITE AND DEBRIS GENERATED BY THE PROJECT. CLEAN SITE AND DEBRIS FROM THE PROJECT'S LIMITS OR AS NEAR AS POSSIBLE.
5. MAINTAIN CONSTRUCTION CONTROL ZONE SPREADING FROM ALL WORK AND STAGING AREAS.
6. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
7. ANY EXISTING FACILITIES (SIGNS, PAVEMENT, UTILITIES, ETC.) THAT THE CONTRACTOR'S OPERATIONS DAMAGE SHALL BE REPAIRED BY THE CONTRACTOR AT HIS OWNERS RISK.
8. WHERE A METHOD OF PAVEMENT, CURB AND GUTTER OR SIDEWALK IS TO BE CONSTRUCTED OR REPAIRED BY THE CONTRACTOR, THE ENGINEER SHALL REVIEW AND APPROVE THE PROPOSED METHOD, CURB, GUTTER AND SIDEWALK SHALL BE REPAIRED TO THE ORIGINAL FINISH OR BETTER TO THE ORIGINAL FINISH.
9. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
10. ADDRESS FIELD LINE'S INTERFERED IN THIS PROJECT SHALL BE REPAIRED BY THE CONTRACTOR AT HIS OWNERS RISK.
11. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IF A FIELD IS ENCOUNTERED AND SHALL LOCATE THE METHOD OF REPAIRING TO THE CONTRACTOR. THE ENGINEER SHALL APPROVE THE PROPOSED METHOD. THE LOCATION OF THE FIELD LINE SHALL BE RECORDED ON THE CONSTRUCTION RECORD DRAWINGS.

BASE BID NOTES

- 1. SYNTHETIC TRACK SURFACE.
2. 1/2" ASPHALT CHANGING BY ASPHALT.
3. 1/2" ASPHALT CHANGING BY ASPHALT.
4. 1/2" ASPHALT CHANGING BY ASPHALT.
5. 1/2" ASPHALT CHANGING BY ASPHALT.
6. 1/2" ASPHALT CHANGING BY ASPHALT.
7. 1/2" ASPHALT CHANGING BY ASPHALT.
8. 1/2" ASPHALT CHANGING BY ASPHALT.
9. 1/2" ASPHALT CHANGING BY ASPHALT.
10. 1/2" ASPHALT CHANGING BY ASPHALT.
11. 1/2" ASPHALT CHANGING BY ASPHALT.

ALTERNATE BID NOTES

- 1. SYNTHETIC TRACK SURFACE.
2. 1/2" ASPHALT CHANGING BY ASPHALT.
3. 1/2" ASPHALT CHANGING BY ASPHALT.
4. 1/2" ASPHALT CHANGING BY ASPHALT.
5. 1/2" ASPHALT CHANGING BY ASPHALT.
6. 1/2" ASPHALT CHANGING BY ASPHALT.
7. 1/2" ASPHALT CHANGING BY ASPHALT.
8. 1/2" ASPHALT CHANGING BY ASPHALT.
9. 1/2" ASPHALT CHANGING BY ASPHALT.
10. 1/2" ASPHALT CHANGING BY ASPHALT.
11. 1/2" ASPHALT CHANGING BY ASPHALT.

PAVEMENT GENERAL NOTES

- 1. ALL SIDES OF PAVEMENT SHALL BE UNIFORM TO AVOID HORIZONTAL.
2. ALL DIMENSIONS TO BACK-OF-EDGE OF SLAB UNLESS OTHERWISE NOTED.
3. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
4. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
5. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
6. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
7. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
8. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
9. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
10. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.
11. MAINTAIN POSITIVE DRAINAGE ON THE SITE THROUGHOUT THE PROJECT DURATION.

LOCATION AND ELEVATION TABLE

Table with columns: Station Number, Elevation, Direction, and Comments. It lists various points along the track with their corresponding elevations and directions.

Revision table with columns: NO., REVISION DESCRIPTION, APPROVED, DATE.

FOOTBALL FIELD NUMBERING LAYOUT


SIDE LINE / CHAIN MARKER DETAIL

BOUNDARIES LINES

KICK OFF MARKER

Approval table with columns: DRAWN BY, CHECKED BY, APPROVED BY, DATE.

Approval table with columns: APPROVED, DATE.



OAK RIDGE / LOWE PARK RUNNING TRACK IN THE CITY OF MARION, LINN COUNTY, IOWA. SCALE 1"=20'. PROJECT NO. 10591. SHEET C200.